

企業簡介

COMPANY PROFILE

捷順科技成立於1992年，總部位於中國創新之都深圳，是中國出入口管控及智能安防行業首家上市公司，作為行業開創者，在智能停車場、智能門禁系統、智能通道閘系統、車位引導系統以及智能一體化安防管理方案等領域持續引領行業發展和工藝標準。

幫助全球千萬企業機構開源節流，實現安全、高效、便捷的人車出入管理。

Founded in 1992 and headquartered in Shenzhen, China's Innovation Capital, Jieshun Technology is the first listed company in the industry of access control and intelligent security system. As the industrial pioneer, Jieshun continues to lead the industry and technology standard in the fields of smart parking system, intelligent access control system, intelligent pedestrian gate, parking guidance system, and intelligent integrated security management solution.

which has helped ten millions of global enterprises and organizations to broaden sources of income and reduce expenditure, so as to realize the safe, efficient and convenient people and vehicle access management.

NO.1

中國行業第1家上市公司，市場占有率全國第1，第1家通過歐盟CE認證企業，第1家通過ISO9001國際質量體系認證；第1臺智能道閘、第1臺智能停車系統的創造者。

The first listed company in the security industry of China; The No. one in domestic market share; The first enterprise passed European Union CE Certification; The first enterprise passed ISO9001 International Quality System Certification; The creator of the first intelligent barrier gate and the first smart parking system.

TECHNICAL ELITE 1000

擁有1000多名技術研發精英，200多項專利技術，國家級高新技術企業，國家商用密碼產品生產定點單位。

We possess over 1000 technical research and development elites, more than 200 patented technologies. And we are National High-tech Enterprise, and the designated State Encryption Product Manufacturer.

TOP 10

中國10大安防品牌，中國前10地產商指定合作夥伴，中國前10大物業指定合夥夥伴。

Top 10 of China's Security Brands; The official partner of top 10 real estate companies; The official partner of top 10 property management companies.

COVER 100

業務覆蓋全球100多個國家地區，130多個分支機構，1300多名專業服務人員遍布全國。

Our business covers over 100 countries and districts, more than 130 branches, with 1300 professional service staff across the country.

CUSTOMER 100 000 000

為上億客戶提供社區、機構和商業廣場的智慧停車專業服務。

100 million clients have enjoyed our professional service of smart parking in communities, organizations and commercial plazas.

SALES VOLUME 1 000 000 000

捷順科技出入口領域，2017年銷售額超過十億人民幣。

In the access control field, Jieshun Technology achieved over 1 billion RMB of sales revenue in 2017.



INTELLIGENT
MANUFACTURING IN CHINA--

JIESHUN

SMART PARKING & ODM SERVICE EXHIBITION

發展方向 DIRECTION OF DEVELOPMENT

ODM

為全球品牌注入中國智造的力量
Empower the global brand with Chinese
intelligent manufacture

車行
方案
DRIVING
SCHEME

ODM 賦能
EMPOWERMENT
PEDESTRIAN

人行
方案
PEDES-
TRIAN
PLAN

爽快通行 捷順通道閘系統

Smooth pass
Jieshun Pedestrian Gate System



智能守护 捷順門禁系統

Smart safeguard
Jieshun Access Control
System

無感通行 人臉識別系統

Contactless pass
Facial Recognition System



200+項專利技術支持
200+ patented technologies support

個性化定制服務
Customization Service

26年工藝沉澱支持
26 year process precipitation support

全球100+國家業務支持
100+countries' business support
across the world

香港專供 八達通車場系統

Exclusively for HongKong
Octopus controller




性能之王 速通車場系統

The king of excellent
performance
Rapid Transit controller



三位一體 車位引導VI系列

Three-in-one
Parking Guidance VI
Series



應用場景案例展示

APPLICATION SCENARIOS CASES



肯尼亚机场 Kenya Airport



新加坡机场 Singapore Airport



深圳國際機場
Shenzhen International Airport



上海浦東國際機場
Shanghai Pudong International Airport



北京奧運 Beijing Olympics



上海世博會 Shanghai EXPO

合作品牌案例展示

Co-branding cases



八達通控制機

OCTOPUS CONTROLLER

I.Cloud C系列八達通停車場，結合香港本地設計。

I. Cloud C series Octopus Parking Lot combines local Hong Kong design.

雙地感和紅外探測器區分大小車，支持IP語音對講。

Double loop detectors and infrared detector zone differentiate the size of vehicle, which supports IP talkback.

支持八達通快速拍卡出入，可作車場月卡。

Supporting the rapid pass of Octopus card which can function as the monthly card of the parking system.

軟件和LCD顯示屏支持繁體中文、英文雙語切換。

Double loop detectors and infrared detector differentiate the size of the vehicle, which supports IP intercom.



JSDZ0206道閘

JSDZ0206 PEDESTRIAN GATE

外觀特性

Appearance characteristics

- 室外防水等級IP54
Outdoor waterproof Ip54
- 機櫃專用優質碳素板材（增加材料厚度）
Cabinet special high-quality carbon sheet (increased material thickness)
- 模具成型，表面高檔汽車噴漆
Molding, surface high-grade automotive paint

產品特點

Features

- 可配套防撞夾頭，具有防撞功能
Can be equipped with bumper collet, with anti-collision function
- 具有無級調速功能，方便安裝維護
Stepless speed regulation for easy installation and maintenance
- 可配套發光杆，滿足夜間安全行駛
Supports glow sticks for safe driving at night
- 防砸車功能，且感應障礙物力度可調
Anti-rake car function, and the sensitivity of sensing obstacles is adjustable
- 支持選配掉電抬杆功能
Supports optional power-off lever



遙控
Remote Control



烘烤清漆
Baking Varnish



發光杆
Lighting Arm



普通夾頭
Normal Holder



呼吸燈
Breathing Light



注意安全
CAUTION



紅外探測器
Infrared Detector



防撞夾頭
Anti-hitting Holder

速通控制機

RAPID TRANSIT CONTROLLER

——車牌自動識別，進出暢行無憂

——Automatic License Plate Recognition (LPR), and proceed without hindrance

機身輕巧靈便、美觀優雅，滿足多種環境需求

The light, handy, artistic and elegant machine satisfies multiple environments demands

支持設備遠程線上升級多功能多組合應用，適配各種通行環境。

Supporting the remote online upgrade of multifunctional and multi-combination application of the equipment, which fits in various transit environment.

支持雙路協同識別，一芯兩用，適應更多複雜車道環境

Supporting double-lane coordinated recognition, and dual use for one chip, which fits in more complicated lanes

全天候車輛捕獲率≥99%，車牌識別率≥95%

All-weather capture ratio of vehicle image 99%, and LPR ratio 95%




JSDZ0208道閘

JSDZ0208 BARRIER GATE

——新一代智能化道閘

—— The New Generation Intelligent Barrier Gate



到位鎖定、初始復位檢測技術，避免閘杆累積誤差損耗；

Technology of locking after being in place and initial reset detection technology avoid the accumulated error loss of pedestrian gate arm;

道閘無觸點監測與高精度控制技術，控制更精準，運動更平穩；

Contactless monitoring and high-accuracy control technology of pedestrian gate deliver more precise control and more stable movement;

全新外觀噴塗工藝，堅韌保護材質，保戶外應用無憂；

New appearance spraying technology firmly protects the material, which guards the worry-free outdoor application;

高精度一體化機芯傳動技術，克服電機與齒輪磨損，經久耐用。

High-accuracy and integrated movement part transmission technology overcome the wear between motor and gear, which makes the device durable in use.

JSDZ0209道閘

JSDZ0209 BARRIER GATE



碳纖維超清閘杆，實現1.5~2秒起降；
Carbon fiber super definition arm realizes 1.5~2 seconds lifting and dropping;

拼接式安裝，工程實施簡單高效；

Spliced installation makes the construction implementation simple and efficient;

交付免調試，設備安裝接線後即可使用；

Debugging-free delivery, usable after installation and wire connection of an equipment;

採用模組化設計、批量生產，具備高性價比。

Modular design and lot production are adopted to ensure high cost performance.

車牌識別一體機

LPR Camera

全天候車牌識別率≥95%
All-weather LPR ratio 95%


支持夜晚弱光識別；
Support night low light recognition;

支持鏡頭自動對焦，降低安裝調試難度；

Supporting auto-focus of camera lens, decreasing the difficulty of installation and debugging;

支持雙路協同識別，有效應對寬車道、T型路口等複雜環境；

Supporting double-lane coordinated recognition, which can effectively cope with wide lane, T-shape crossroad and such complex environment;



高清視頻檢測終端

HD VIDEO DETECTION TERMINAL



高清視頻檢測終端
Hd Video Detection Terminal

支持1、2、3車位視頻車位檢測器；
Supporting 1, 2 and 3 parking space video detector;

採用視頻車位檢測器一體式設計，
系統架構更簡潔；

The parking space video detector integrated design is adopted to offer more concise system architecture;



車位引導屏
Parking guidance screen

系統支持車位反向查詢；

The system supports reverse query of parking space;

系統支持環網交換機，允許單點網路故障。

The system supports looped network switch, and allows the network failure of a single-point.

超聲波一體機

ULTRASONIC INTEGRATED MACHINENAL

指示燈和超聲波檢測一體化設計，
簡化安裝部署；

The integrated design of indicator light and ultrasonic detection simplifies the installation and arrangement;

多色LED燈顯示、狀態可視化；

Multi-color LED light display and visualized status;

可遠程檢測、重啟、升級和調試設備

Supporting equipment remote detection, reboot, upgrade and debugging.



地磁車位檢測器

GEOMAGNETIC PARKING PLACE DETECTOR

產品具備抗碾壓、低功耗特性；

The product features anti-rolling and low consumption;

設備可快速佈設，提升安裝調試效率；

The equipment can be fast laid to improve the efficiency of installation and debugging;

採用無線通訊，施工成本低。

The wireless communication is adopted, so the construction cost is low.



JSTZ3905B

通過歐盟CE認證；
防水防潮防鹽霧；
適應多種外界環境

Passed European Union CE Certification, it is waterproof, damp-proof and salt-fog—proof, which fits for multiple external connection environments;

紅外監控通道安全，具備防夾、防撞性能

Safe infrared monitoring lane is equipped with clamp-proof and anti-hitting performance;



1200MM寬通道，容許殘疾人士通行
Lane of 1200 MM in width allows the disabled to pass;

支持門禁、考勤等；多種通訊接口拓展

Supporting access control and attendance record; The communication interface can be expanded;

JSTZ3405A

先進的ARM內核電機專用微處理器，使設備啟動及控制四平八穩；
Advanced special ARM core motor microprocessor stabilizes the start and control of equipment;

採取先進檢測模組結合LED燈光設計，更注重通行效率與安全，使通行體驗大大提升；

Advanced detection module with LED light design is adopted, with more focus on transit efficiency and safety, thus the transit experience is significantly improved.

具有大容量、高可靠性數據存儲技術，確保用戶數據安全；

Data storage technology of high-capacity and high reliability secure the users' data;

設備外觀採用全新直紋拉絲處理，造型美觀工藝精湛；

The new diagonal grain wire drawing processing is adopted for the equipment appearance which provides an artistic appearance and exquisite workmanship;



榮禦讀卡器

RONGYU CARD READER

獨具匠心的工藝設計，暗雅與光澤形成對比，纖薄有型兼具科技感。
Technology design with originality, the contrast between dark elegance and gloss, a sense of science and technology with ultra thin shape.

Ip65高等級防護水準，室內外皆可使用，無懼風雨，堅守如一。
Ip65 high grade protection that can be used indoor and outdoor, being secured regardless of foul weathers.



JSMJD17-01 JSMJD17-02

安裝簡便，滿足商業辦公樓窄門框及標準86盒嵌入式安裝需求。
Handy installment fulfills the installation needs of narrow doorframe in commercial building and standard embedded 86 junction box.

鑒權憑證多元化，支持刷卡、藍牙、密碼等多種鑒權通行方式。
Diversified authentication vouchers support multi-pass-method of card-reading, bluetooth and password.



JSMJD18-01 JSMJD18-02

JSMJY08A

盾牌式設計，搭配魄力黑色面板，外觀洋溢安全感與科技氣息。
Shield-type design works with vigorous black panel to deliver a sense of secure and technology in appearance.

小身材蘊藏大智慧，支持藍牙/密碼/刷卡/APP/二維碼多種鑒權方式。
Great wisdom is embedded in a small body, which supports multiple authentication methods like bluetooth, password, card-reading, APP and QR code.

內置超大存儲空間，最多支持10萬用戶暢享通行。
Large memory space embedded to support the smooth transit for 100 thousand users at most.



支持WEB端遠程線上升級。
Supporting the remote online upgrade on WEB-end.

JSMJY09A

全玻璃面板設計，金屬質感的表面細紋工藝處理；
All glass panel design, and metal texture surface fine grain technology processing;

活體檢測準確率100%，安全防護立體化；
100% Live detection accuracy rate provides three-dimensional safety protection;

雙攝像頭及智能感光設計，讓人臉識別更精準；
Dual camera and intelligent sensitization design make the facial recognition more accurate.

一體式架構設計，本地比對，脫機比對，無需額外增加伺服器；
Integrated architectural design, local contrast, off-line contrast, and no extra server is needed to add;

人臉、刷卡、藍牙、密碼、手机APP等多種通行鑒權方式一機支持；
Supporting integrated multiple authentication methods of pass, such as facial recognition, card-reading, bluetooth, password, APP collection.



ODM BRANDS EMPOWERMENT TO JOINTLY BUILD A NEW ECOSYSTEM OF A SMART CITY

ODM 品牌賦能
共建智慧城市新生態